



**SHANXI G-HOUSE TECHNOLOGY CO.,LTD**  
**NO.3 HENGYUAN ROAD, JIANCAOPING DIST. TAIYUAN CITY, SHANXI PROVINCE, CHINA**  
TEL: +8615513821942 EMAIL: [info@g-housetech.com](mailto:info@g-housetech.com) WEB: [www.g-housetech.com](http://www.g-housetech.com)

## Application Rates

### Humic Acid

Base fertilizer: For field crop,50-100kgs/HA per crop season

Mix additive:30-60kgs per ton of composite.(Suggested mix use with Urea and MAP DAP)

Crop	Dosage	Directions For Use
Rice, wheat, grains	1 - 2.5 lbs. per 1000 liters of water; 7-12 lbs. per acre.	Drench seedlings and foliar spray at tillering, anthesis, and filling stage
vegetables	1-2 kg/m <sup>2</sup>	Foliar spray after transplantation, then apply every 7—10 days from bud burst to fruiting period by fertigation.
cotton/oil crops	1.5 - 2.2 lbs. per 1000 liters of water; 12-17 lbs. per acre.	Apply by aerial spray or fertigation from seeding stage to budding stage.
fruit trees	10 kgs per plant	Apply before blossom and repeat applications 3—5 times during growing season.
flowers/lawn/herbage	0.66 – 1.1 lbs. per 1000 liters of water; 7-12 lbs. per acre	Apply by fertigation one day prior to transplantation, then every 7—10 days foliar spray.